



**HDB'S SALES LAUNCH
AUGUST 2022**

*Artist's impression*

WOODLANDS SOUTH PLAINS

Woodlands South Plains is located near Woodlands South MRT station on the Thomson-East Coast Line, and is bounded by Woodlands Avenue 1 and Woodlands Drive 17. There are 6 residential blocks within the development, each 12 storeys tall. You can choose from the 630 units of 2-room Flexi, 3- and 4-room flats in the development.



Inspired by the upcoming Woodlands Health Campus which will be located nearby, Woodlands South Plains is designed with wellness in mind. Its design features a vast green space interspersed with 3Gen facilities, shelters, well-shaded spaces, thematic gardens, as well as Active, Beautiful, Clean Waters design features for rest and rejuvenation. The development also comes with a childcare centre, children's playgrounds, adult and elderly fitness stations, and is served by a Multi-Storey Car Park with a roof garden.

Please refer to the site plan for the facilities provided in the development. Facilities in this development will be accessible by the public.


IMPORTANT NOTES

HDB precincts are planned to serve the evolving needs of the community. There are spaces catered for future inclusion of amenities/ facilities (such as childcare centres, elderly-related facilities, education centres, residents' network centres, day activity centres, etc), commercial facilities (such as shops and eating houses), mechanical and electrical rooms, and such other facilities depending on the prevailing needs. These spaces could be in the void decks, common property, car parks, or stand-alone community buildings.

In addition, housing projects may be located near roads, railways, airbases, and land used for non-residential purposes. Hence, residents may experience higher noise levels. We have provided information on the surrounding land use, proposed facilities and their locations in the maps and plans of individual projects, where feasible. The information provided is indicatively based on the current planning intent of the relevant authorities and is subject to change from time to time.



WOODLANDS



—○— MRT Line & Station

(u/c) Under Construction

===== Under Construction / Future Road

Scale 0 100 200 300 400 500 Metres 

Notes:

1. All proposed developments and facilities as well as their locations shown are indicative only and are subject to change and planning approval. The implementation of such proposed developments and facilities is subject to review from time to time by the relevant authorities.
2. Proposed Place of Worship includes examples such as Church, Mosque, Chinese Temple, Hindu Temple, etc.
3. Proposed Civic & Community Institution includes examples such as Community Centre/Club, Association, Home for the Aged, etc.
4. Proposed Health & Medical Care includes examples such as Hospitals, Polyclinics, Clinics, Nursing Homes and Eldercare Facilities, etc.
5. Kampung Admiralty is an Integrated Development which includes 2-Room Flexi flats, shops, supermarket, hawker centre, medical centre, eldercare and childcare centre.
6. The developments and facilities shown (whether existing or proposed) may include other ancillary uses allowed under URA's prevailing Development Control guidelines. For example, places of worship and funeral parlours may include columbarium, community centres may include childcare centres, and schools may be upgraded or built with higher-rise blocks.
7. The future land use for former school sites are subject to review or changes by the relevant authorities.
8. Fuchun Secondary School and Woodlands Ring Secondary School will merge in 2025 at the site of Fuchun Secondary School. The merged school will relocate to the upgraded Woodlands Ring Secondary School site tentatively in 2027.
9. In view of the COVID-19 situation, temporary COVID-19 related facilities may be set up near residential areas by the relevant authorities.
10. # There may be possible road enhancements and viaducts in the vicinity of Woodlands Centre Road and Marsiling Road, which is subject to detailed studies.

The information contained herein is subject to change at any time without notice and cannot form part of an offer or contract. While reasonable care has been taken in providing this information, HDB shall not be responsible in any way for any damage or loss suffered by any person whether directly or indirectly as a result of reliance on the said information or as a result of any error or omission therein.

ECO-FRIENDLY FEATURES

To encourage green and sustainable living, Woodlands South Plains will have several eco-friendly features such as:

- Separate chutes for recyclable waste
- Regenerative lifts to reduce energy consumption
- Bicycle stands to encourage cycling as an environmentally-friendly form of transport
- Parking spaces to facilitate future provision of electric vehicle charging stations
- Use of sustainable products in the development
- Active, Beautiful, Clean Waters design features to clean rainwater and beautify the landscapes



**SEPARATE CHUTES
FOR RECYCLABLE
WASTE**



**BICYCLE
STANDS**



**ABC WATERS DESIGN
FEATURES**



SMART SOLUTIONS

Woodlands South Plains will come with the following smart solutions to reduce energy usage, and contribute to a safer and more sustainable living environment:

- Smart-Enabled Homes with provisions to support easy installation of smart systems
- Smart Lighting in common areas to reduce energy usage



FINISHES AND FITTINGS

More than just a well-designed and functional interior, these flats will come with the following finishes and fittings.

2-ROOM FLEXI

Available either on a 99-year lease or short-lease

- Floor tiles in the:
 - Bathroom
 - Household shelter
 - Kitchen
- Wall tiles in the:
 - Bathroom
 - Kitchen
- A sliding partition/ door for the bedroom and folding bathroom door
- Grab bars (for 2-room Flexi flats on short-leases)

3- AND 4-ROOM

- Floor tiles in the:
 - Bathrooms
 - Household shelter
 - Kitchen / utility (3-room)
 - Kitchen and service yard (4-room)
- Wall tiles in the:
 - Bathrooms
 - Kitchen/ utility (3-room)
 - Kitchen (4-room)

OPTIONAL COMPONENT SCHEME

The Optional Component Scheme (OCS) is an opt-in scheme that provides convenience for our buyers. If you opt-in for OCS, the cost of the optional components will be added to the price of the flat. Please refer to the attached OCS leaflet for details.

LAYOUT IDEAS

WITHOUT LIVING/ DINING/ BEDROOM FLOOR FINISHES (DEFAULT)

2 ROOM FLEXI (TYPE 1) FLOOR PLAN

(With Suggested Furniture Layout)

Approx. Floor Area 38 sqm

(Inclusive of Internal Floor Area of 36 sqm and Air-con Ledge)



WITH LIVING/ DINING/ BEDROOM FLOOR FINISHES

2 ROOM FLEXI (TYPE 1) FLOOR PLAN

(With Suggested Furniture Layout)

Approx. Floor Area 38 sqm

(Inclusive of Internal Floor Area of 36 sqm and Air-con Ledge)



WITHOUT LIVING/ DINING/ BEDROOM FLOOR FINISHES (DEFAULT)

2 ROOM FLEXI (TYPE 2) FLOOR PLAN

(With Suggested Furniture Layout)

Approx. Floor Area 48 sqm

(Inclusive of Internal Floor Area of 46 sqm and Air-con Ledge)



WITH LIVING/ DINING/ BEDROOM FLOOR FINISHES

2 ROOM FLEXI (TYPE 2) FLOOR PLAN

(With Suggested Furniture Layout)

Approx. Floor Area 48 sqm

(Inclusive of Internal Floor Area of 46 sqm and Air-con Ledge)



OPTIONAL FOLDING DOOR
FOR SHORT LEASE

To meet different lifestyle needs, the 46-sqm 2-room Flexi flats come with a flexible space which flat buyers can use according to their preference. This flexible space can be used for dining, a study, or to place an extra bed.


LAYOUT IDEAS

3 ROOM FLOOR PLAN

(With Suggested Furniture Layout)

Approx. Floor Area 68 sqm

(Inclusive of Internal Floor Area of 65 sqm and Air-con Ledge)



To cater to changing lifestyles and provide more flexibility in the use of kitchen space, HDB has designed the flats with an open kitchen concept comprising a dry kitchen and a combined kitchen/utility space.

The layout offers homeowners flexibility in configuring the area according to their preferences.


For example, you can add partitions to separate the dry kitchen, wet kitchen and utility, as indicated in the dotted lines.

4 ROOM FLOOR PLAN

(With Suggested Furniture Layout)

Approx. Floor Area 93 sqm

(Inclusive of Internal Floor Area of 90 sqm and Air-con Ledge)





APPLICANTS ARE ENCOURAGED TO VISIT THE PLACE BEFORE BOOKING A FLAT.

Notes:

- All proposed developments and facilities as well as their locations shown are indicative only and are subject to change and planning approval. The implementation of such proposed developments and facilities is subject to review from time to time by the relevant authorities.
- The developments and facilities shown (whether existing or proposed) may include other ancillary uses allowed under URA's prevailing Development Control guidelines. For example, places of worship and funeral parlours may include columbarium, community centres may include childcare centres, and schools may be upgraded or built with higher-rise blocks.
- The use of the void deck in any apartment block, common property (such as precinct pavilion), car park or stand-alone community building for future amenities/facilities (such as childcare centres, elderly-related facilities, education centres, residents' network centres and day activity centres), commercial facilities (such as shops and eating houses), mechanical and electrical rooms and such other facilities, is subject to review from time to time.
- The residential blocks may be completed ahead of the proposed precinct facilities, so that flat buyers are able to collect the keys to their new homes earlier.
- Unless otherwise indicated in the sales brochure, all facilities within the project, including but not limited to roof gardens and sky terraces (if any), will be open to the public.
- In view of the COVID-19 situation, temporary COVID-19 related facilities may be set up near residential areas by the relevant authorities.

SITE PLAN



FLAT TYPE

- 2 ROOM FLEXI (TYPE 1)
- 2 ROOM FLEXI (TYPE 2)

- 3 ROOM
- 4 ROOM

PLAY FACILITIES

- 1 CHILDREN PLAYGROUND
- 2 ADULT FITNESS STATION
- 3 ELDERLY FITNESS STATION

COMMUNAL AREAS

- 4 PRECINCT PAVILION AT 1ST STOREY
- 5 DROP-OFF PORCH

SOCIAL AMENITIES


- 6 FUTURE AMENITIES/ FACILITIES AT 1ST STOREY

- 7 CHILD CARE CENTRE AT 1ST STOREY with Green Roof (Inaccessible)

OTHERS

- LINKWAY/ LB: LINKBRIDGE S : SHELTER
- TRELLIS
- SERVICES
 - ESS: ELECTRICAL SUB-STATION AT 1ST STOREY
 - UC: UTILITY CENTRE AT 1ST STOREY
 - CSR: CONSUMER SWITCH ROOM AT 1ST STOREY
- SERVICE BAY



- AMENITY LOCATED (BELOW)
- AIR-WELL
- ENTRANCE/ EXIT FOR MULTI-STOREY CARPARK
- CENTRALISED/ RECYCLABLE REFUSE CHUTE
- DRAINAGE RESERVE
- U/C UNDER CONSTRUCTION




Block Number	Number of Storeys	2-Room Flexi		3-Room	4-Room	Total
		Type 1	Type 2			
590A	11/12	-	22	11	98	131
590B	11/12	-	22	11	53	86
590C	11/12	-	-	21	51	72
591A	12	22	44	22	22	110
591B	12	22	77	11	-	110
592A	12	22	44	11	44	121
TOTAL		66	209	87	268	630

The information contained herein is subject to change at any time without notice and cannot form part of an offer or contract. While reasonable care has been taken in providing this information, HDB shall not be responsible in any way for any damage or loss suffered by any person whether directly or indirectly as a result of reliance on the said information or as a result of any error or omission therein.


UNIT DISTRIBUTION




BLOCK 590A



BLOCK 590C





BLOCK 590B




BLOCK 591A

UNIT DISTRIBUTION



BLOCK 591B



BLOCK 592A



BLOCK 590A | 2ND STOREY FLOOR PLAN

FOR 2-ROOM FLEXI FLATS, THE NUMBER OF PANELS FOR THE SLIDING PARTITION BETWEEN THE BEDROOM AND LIVING ROOM WILL DIFFER DEPENDING ON THE SELECTION OF THE OPTIONAL COMPONENT SCHEME (OCS), WHERE APPLICABLE

WINDOW LEGEND:	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOW	SCALE 0 2 4 6 8 10 METRES	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATHE BOUNDARY OF THE FLAT
----------------	---	---------------------------	---

W1-THREE QUARTER HEIGHT WINDOW
(APPROX.550MM HIGH PARAPET WALL)

UNLESS OTHERWISE INDICATED,
ALL WINDOWS WILL BE STANDARD HEIGHT WINDOW

SCALE 0 2 4 6 8 10 METRES

THE COLOURED FLOOR PLAN IS NOT INTENDED
TO DEMARCATHE BOUNDARY OF THE FLAT



BLOCK 590A | 3RD TO 8TH STOREY FLOOR PLAN

FOR 2-ROOM FLEXI FLATS, THE NUMBER OF PANELS FOR THE SLIDING PARTITION BETWEEN THE BEDROOM AND LIVING ROOM WILL DIFFER DEPENDING ON THE SELECTION OF THE OPTIONAL COMPONENT SCHEME (OCS), WHERE APPLICABLE

WINDOW LEGEND: W1-THREE QUARTER HEIGHT WINDOW (APPROX.550MM HIGH PARAPET WALL)	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOW	SCALE 0 2 4 6 8 10 METRES	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCADE THE BOUNDARY OF THE FLAT
--	---	--	--



BLOCK 590A | 9TH STOREY FLOOR PLAN

FOR 2-ROOM FLEXI FLATS, THE NUMBER OF PANELS FOR THE SLIDING PARTITION BETWEEN THE BEDROOM AND LIVING ROOM WILL DIFFER DEPENDING ON THE SELECTION OF THE OPTIONAL COMPONENT SCHEME (OCS), WHERE APPLICABLE


WINDOW LEGEND:

W1-THREE QUARTER HEIGHT WINDOW
(APPROX.550MM HIGH PARAPET WALL)

UNLESS OTHERWISE INDICATED,
ALL WINDOWS WILL BE STANDARD HEIGHT WINDOW

SCALE 0 2 4 6 8 10 METRES

THE COLOURED FLOOR PLAN IS NOT INTENDED
TO DEMARCATHE BOUNDARY OF THE FLAT



BLOCK 590A | 10TH,11TH STOREY FLOOR PLAN

FOR 2-ROOM FLEXI FLATS, THE NUMBER OF PANELS FOR THE SLIDING PARTITION BETWEEN THE BEDROOM AND LIVING ROOM WILL DIFFER DEPENDING ON THE SELECTION OF THE OPTIONAL COMPONENT SCHEME (OCS), WHERE APPLICABLE

WINDOW LEGEND:	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOW	SCALE 0 2 4 6 8 10 METRES	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCADE THE BOUNDARY OF THE FLAT
W1-THREE QUARTER HEIGHT WINDOW (APPROX.550MM HIGH PARAPET WALL)			



BLOCK 590A | 12TH STOREY FLOOR PLAN

FOR 2-ROOM FLEXI FLATS, THE NUMBER OF PANELS FOR THE SLIDING PARTITION BETWEEN THE BEDROOM AND LIVING ROOM WILL DIFFER DEPENDING ON THE SELECTION OF THE OPTIONAL COMPONENT SCHEME (OCS), WHERE APPLICABLE

WINDOW LEGEND:

W1-THREE QUARTER HEIGHT WINDOW
(APPROX.550MM HIGH PARAPET WALL)

UNLESS OTHERWISE INDICATED,
ALL WINDOWS WILL BE STANDARD HEIGHT WINDOW

SCALE 0 2 4 6 8 10 METRES

THE COLOURED FLOOR PLAN IS NOT INTENDED
TO DEMARCATHE BOUNDARY OF THE FLAT



BLOCK 590B | 2ND STOREY FLOOR PLAN

FOR 2-ROOM FLEXI FLATS, THE NUMBER OF PANELS FOR THE SLIDING PARTITION BETWEEN THE BEDROOM AND LIVING ROOM WILL DIFFER DEPENDING ON THE SELECTION OF THE OPTIONAL COMPONENT SCHEME (OCS), WHERE APPLICABLE

WINDOW LEGEND:

W1-THREE QUARTER HEIGHT WINDOW
(APPROX.550MM HIGH PARAPET WALL)

UNLESS OTHERWISE INDICATED,
ALL WINDOWS WILL BE STANDARD HEIGHT WINDOW

SCALE 0 2 4 6 8 10 METRES

THE COLOURED FLOOR PLAN IS NOT INTENDED
TO DEMARCAT THE BOUNDARY OF THE FLAT



BLOCK 590B | 3RD TO 11TH STOREY FLOOR PLAN

FOR 2-ROOM FLEXI FLATS, THE NUMBER OF PANELS FOR THE SLIDING PARTITION BETWEEN THE BEDROOM AND LIVING ROOM WILL DIFFER DEPENDING ON THE SELECTION OF THE OPTIONAL COMPONENT SCHEME (OCS), WHERE APPLICABLE

WINDOW LEGEND:	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOW	SCALE 0 2 4 6 8 10 METRES	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCADE THE BOUNDARY OF THE FLAT
W1-THREE QUARTER HEIGHT WINDOW (APPROX.550MM HIGH PARAPET WALL)			



BLOCK 590B | 12TH STOREY FLOOR PLAN

FOR 2-ROOM FLEXI FLATS, THE NUMBER OF PANELS FOR THE SLIDING PARTITION BETWEEN THE BEDROOM AND LIVING ROOM WILL DIFFER DEPENDING ON THE SELECTION OF THE OPTIONAL COMPONENT SCHEME (OCS), WHERE APPLICABLE


WINDOW LEGEND:

W1-THREE QUARTER HEIGHT WINDOW
(APPROX.550MM HIGH PARAPET WALL)

UNLESS OTHERWISE INDICATED,
ALL WINDOWS WILL BE STANDARD HEIGHT WINDOW

SCALE 0 2 4 6 8 10 METRES

THE COLOURED FLOOR PLAN IS NOT INTENDED
TO DEMARCAT THE BOUNDARY OF THE FLAT



BLOCK 590C | 2ND STOREY FLOOR PLAN

UNITS AT AND ABOVE 3RD STOREY ARE HIGHER THAN THE ROAD LEVEL OF WOODLANDS DRIVE 17


WINDOW LEGEND:

W1-THREE QUARTER HEIGHT WINDOW
(APPROX.550MM HIGH PARAPET WALL)

UNLESS OTHERWISE INDICATED,
ALL WINDOWS WILL BE STANDARD HEIGHT WINDOW

SCALE 0 2 4 6 8 10 METRES

THE COLOURED FLOOR PLAN IS NOT INTENDED
TO DEMARCADE THE BOUNDARY OF THE FLAT



BLOCK 590C | 3RD TO 11TH STOREY FLOOR PLAN

UNITS AT AND ABOVE 3RD STOREY ARE HIGHER THAN THE ROAD LEVEL OF WOODLANDS DRIVE 17


WINDOW LEGEND:

W1-THREE QUARTER HEIGHT WINDOW
(APPROX.550MM HIGH PARAPET WALL)

UNLESS OTHERWISE INDICATED,
ALL WINDOWS WILL BE STANDARD HEIGHT WINDOW

SCALE 0 2 4 6 8 10 METRES

THE COLOURED FLOOR PLAN IS NOT INTENDED
TO DEMARCADE THE BOUNDARY OF THE FLAT



BLOCK 590C | 12TH STOREY FLOOR PLAN

UNITS AT AND ABOVE 3RD STOREY ARE HIGHER THAN THE ROAD LEVEL OF WOODLANDS DRIVE 17

WINDOW LEGEND: W1-THREE QUARTER HEIGHT WINDOW (APPROX.550MM HIGH PARAPET WALL)	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOW	SCALE 0 2 4 6 8 10 METRES	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCATHE BOUNDARY OF THE FLAT
--	---	---------------------------	---



BLOCK 591A | 2ND STOREY FLOOR PLAN

FOR 2-ROOM FLEXI FLATS, THE NUMBER OF PANELS FOR THE SLIDING PARTITION BETWEEN THE BEDROOM AND LIVING ROOM WILL DIFFER DEPENDING ON THE SELECTION OF THE OPTIONAL COMPONENT SCHEME (OCS), WHERE APPLICABLE


WINDOW LEGEND:

W1-THREE QUARTER HEIGHT WINDOW
(APPROX.550MM HIGH PARAPET WALL)

UNLESS OTHERWISE INDICATED,
ALL WINDOWS WILL BE STANDARD HEIGHT WINDOW

SCALE 0 2 4 6 8 10 METRES

THE COLOURED FLOOR PLAN IS NOT INTENDED
TO DEMARCATHE BOUNDARY OF THE FLAT



BLOCK 591A | 3RD TO 8TH STOREY FLOOR PLAN

FOR 2-ROOM FLEXI FLATS, THE NUMBER OF PANELS FOR THE SLIDING PARTITION BETWEEN THE BEDROOM AND LIVING ROOM WILL DIFFER DEPENDING ON THE SELECTION OF THE OPTIONAL COMPONENT SCHEME (OCS), WHERE APPLICABLE


WINDOW LEGEND:

W1-THREE QUARTER HEIGHT WINDOW
(APPROX.550MM HIGH PARAPET WALL)

UNLESS OTHERWISE INDICATED,
ALL WINDOWS WILL BE STANDARD HEIGHT WINDOW

SCALE 0 2 4 6 8 10 METRES

THE COLOURED FLOOR PLAN IS NOT INTENDED
TO DEMARCATHE BOUNDARY OF THE FLAT



BLOCK 591A | 9TH STOREY FLOOR PLAN

FOR 2-ROOM FLEXI FLATS, THE NUMBER OF PANELS FOR THE SLIDING PARTITION BETWEEN THE BEDROOM AND LIVING ROOM WILL DIFFER DEPENDING ON THE SELECTION OF THE OPTIONAL COMPONENT SCHEME (OCS), WHERE APPLICABLE


WINDOW LEGEND:

W1-THREE QUARTER HEIGHT WINDOW
(APPROX.550MM HIGH PARAPET WALL)

UNLESS OTHERWISE INDICATED,
ALL WINDOWS WILL BE STANDARD HEIGHT WINDOW

SCALE 0 2 4 6 8 10 METRES

THE COLOURED FLOOR PLAN IS NOT INTENDED
TO DEMARCATHE BOUNDARY OF THE FLAT



BLOCK 591A | 10TH TO 12TH STOREY FLOOR PLAN

FOR 2-ROOM FLEXI FLATS, THE NUMBER OF PANELS FOR THE SLIDING PARTITION BETWEEN THE BEDROOM AND LIVING ROOM WILL DIFFER DEPENDING ON THE SELECTION OF THE OPTIONAL COMPONENT SCHEME (OCS), WHERE APPLICABLE

WINDOW LEGEND:

W1-THREE QUARTER HEIGHT WINDOW
(APPROX.550MM HIGH PARAPET WALL)

UNLESS OTHERWISE INDICATED,
ALL WINDOWS WILL BE STANDARD HEIGHT WINDOW

SCALE 0 2 4 6 8 10 METRES

THE COLOURED FLOOR PLAN IS NOT INTENDED
TO DEMARCAT THE BOUNDARY OF THE FLAT



BLOCK 591B ■ 2ND STOREY FLOOR PLAN

FOR 2-ROOM FLEXI FLATS, THE NUMBER OF PANELS FOR THE SLIDING PARTITION BETWEEN THE BEDROOM AND LIVING ROOM WILL DIFFER DEPENDING ON THE SELECTION OF THE OPTIONAL

COMPONENT SCHEME (OCS), WHERE APPLICABLE

UNITS AT AND ABOVE 12TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL OF BLOCK 590

UNITS AT AND ABOVE 3RD STOREY ARE HIGHER THAN THE MAIN ROOF LEVEL OF BLOCK 591


WINDOW LEGEND:

W1-THREE QUARTER HEIGHT WINDOW
(APPROX.550MM HIGH PARAPET WALL)

UNLESS OTHERWISE INDICATED,
ALL WINDOWS WILL BE STANDARD HEIGHT WINDOW

SCALE 0 2 4 6 8 10 METRES

THE COLOURED FLOOR PLAN IS NOT INTENDED
TO DEMARCADE THE BOUNDARY OF THE FLAT



BLOCK 591B | 3RD TO 12TH STOREY FLOOR PLAN


FOR 2-ROOM FLEXI FLATS, THE NUMBER OF PANELS FOR THE SLIDING PARTITION BETWEEN THE BEDROOM AND LIVING ROOM WILL DIFFER DEPENDING ON THE SELECTION OF THE OPTIONAL

COMPONENT SCHEME (OCS), WHERE APPLICABLE

UNITS AT AND ABOVE 12TH STOREY ARE HIGHER THAN THE MAIN ROOF GARDEN LEVEL OF BLOCK 590

UNITS AT AND ABOVE 3RD STOREY ARE HIGHER THAN THE MAIN ROOF LEVEL OF BLOCK 591

WINDOW LEGEND: W1-THREE QUARTER HEIGHT WINDOW (APPROX.550MM HIGH PARAPET WALL)	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOW	SCALE 0 2 4 6 8 10 METRES 	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARQUE THE BOUNDARY OF THE FLAT
---	---	---	---




BLOCK 592A | 2ND STOREY FLOOR PLAN

FOR 2-ROOM FLEXI FLATS, THE NUMBER OF PANELS FOR THE SLIDING PARTITION BETWEEN THE BEDROOM AND LIVING ROOM WILL DIFFER DEPENDING ON THE SELECTION OF THE OPTIONAL COMPONENT SCHEME (OCS), WHERE APPLICABLE

UNITS AT AND ABOVE 3RD STOREY ARE HIGHER THAN THE ROAD LEVEL OF WOODLANDS DRIVE 17

WINDOW LEGEND: W1-THREE QUARTER HEIGHT WINDOW (APPROX.550MM HIGH PARAPET WALL)	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOW	SCALE 0 2 4 6 8 10 METRES	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCADE THE BOUNDARY OF THE FLAT
--	---	--	--



BLOCK 592A | 3RD TO 12TH STOREY FLOOR PLAN

FOR 2-ROOM FLEXI FLATS, THE NUMBER OF PANELS FOR THE SLIDING PARTITION BETWEEN THE BEDROOM AND LIVING ROOM WILL DIFFER DEPENDING ON THE SELECTION OF THE OPTIONAL COMPONENT SCHEME (OCS), WHERE APPLICABLE

UNITS AT AND ABOVE 3RD STOREY ARE HIGHER THAN THE ROAD LEVEL OF WOODLANDS DRIVE 17

WINDOW LEGEND: W1-THREE QUARTER HEIGHT WINDOW (APPROX.550MM HIGH PARAPET WALL)	UNLESS OTHERWISE INDICATED, ALL WINDOWS WILL BE STANDARD HEIGHT WINDOW	SCALE 0 2 4 6 8 10 METRES	THE COLOURED FLOOR PLAN IS NOT INTENDED TO DEMARCADE THE BOUNDARY OF THE FLAT
--	---	--	--

GENERAL SPECIFICATIONS FOR WOODLANDS SOUTH PLAINS

For 2-room Flexi (short lease)

Foundation

Piled foundations.

Structure

Reinforced concrete structural framework with reinforced concrete slabs.

Roof

Reinforced concrete roof slab with precast concrete secondary roofing.

Walls

All external and internal walls are constructed with reinforced concrete/ precast panels/ drywall partition system/ precast lightweight concrete partitions.

Windows

Aluminium framed windows with tinted glass.

Doors

Entrance	: laminated timber door and metal gate
Bedroom	: laminated UPVC sliding partition/ door, where applicable
Bathroom/ WC	: laminated UPVC folding door
Household Shelter	: metal door
Living/ Dining	: laminated UPVC folding door (optional)

Finishes

Living/ Dining/ Bedroom Floor	: vinyl strip flooring with laminated UPVC skirting (optional)
Kitchen/ Bathroom/ WC/	: glazed porcelain tiles
Household Shelter Floor	
Kitchen/ Bathroom/ WC Walls	: glazed porcelain tiles
Ceilings/ Other Walls	: skim coated or plastered and painted

Fittings

Quality Locksets
Water Closet Suite
Clothes Drying Rack
Grab Bars

Wash basin with tap mixer, bath/ shower mixer with shower set (optional)
Built-in kitchen cabinets with induction hob and cooker hood, kitchen sink and dish drying rack (optional)
Built-in Wardrobe (optional)
Window Grilles (optional)
Water Heater (optional)
Lighting (optional)

Services

Gas services and concealed water supply pipes
Exposed sanitary stacks at Air-con ledge
Concealed electrical wiring to lighting and power points (including water heater and air-conditioning points)
Television points
Data points

Important Notes

- 1) The Household Shelter is designed for use as civil defence shelter. The walls, ceiling, floor and door of the Household Shelter shall not be hacked, drilled, altered or removed.
- 2) Laminated UPVC door frame shall be provided to all Bedroom and Bathroom/ WC door openings.
- 3) Any unused or unoccupied open spaces in front of or nearby/ adjacent to the flat units are not available for purchase and the HDB will not entertain any request from the flat owners to purchase and/ or enclose the unused or unoccupied open spaces.
- 4) The details of services in a flat, e.g. gas pipes, water pipes, sanitary stacks, electrical wiring, television points, data points, etc. are not indicated on the plans.

You are advised to visit HDB's website at www.hdb.gov.sg for information on renovation rules.

GENERAL SPECIFICATIONS FOR WOODLANDS SOUTH PLAINS

For 2-room Flexi, 3-room and 4-room

Foundation

Piled foundations.

Structure

Reinforced concrete structural framework with reinforced concrete slabs.

Roof

Reinforced concrete roof slab with precast concrete secondary roofing.

Walls

All external and internal walls are constructed with reinforced concrete/ precast panels/ drywall partition system/ precast lightweight concrete partitions.

Windows

Aluminium framed windows with tinted glass.

Doors

Entrance	: laminated timber door and metal gate
Bedroom	: laminated UPVC door (optional)
	: laminated UPVC sliding partition/ door for 2-room Flexi, where applicable
Bathroom/ WC	: laminated UPVC folding door (optional)
	: laminated UPVC folding door for 2-room Flexi
Household Shelter	: metal door
Service Yard	: aluminium framed door with glass

Finishes

Living/ Dining/ Dry Kitchen	: polished porcelain tiles with laminated UPVC skirting (optional)
Floor	
Bedroom Floor	: vinyl strip flooring with laminated UPVC skirting (optional)
Living/ Dining/ Bedroom Floor	: vinyl strip flooring with laminated UPVC skirting for 2-room Flexi (optional)
Kitchen/ Utility/ Bathroom/	: glazed porcelain tiles
WC/ Household Shelter Floor	
Service Yard/	: glazed porcelain tiles with tile skirting
Kitchen/ Utility	: glazed porcelain tiles
Bathroom/ WC Walls	
Ceilings/ Other Walls	: skim coated or plastered and painted

Fittings

Quality Locksets	
Water Closet Suite	
Clothes Drying Rack	
Wash basin with tap mixer, bath/ shower mixer with shower set (optional)	

Services

Gas services and concealed water supply pipes	
Exposed sanitary stacks (which can be located at Service Yard and/ or Air-con ledge)	
Concealed electrical wiring to lighting and power points (including water heater and air-conditioning points)	
Television points	
Data points	

Important Notes

- 1) The Household Shelter is designed for use as civil defence shelter. The walls, ceiling, floor and door of the Household Shelter shall not be hacked, drilled, altered or removed.
- 2) Laminated UPVC door frame shall be provided to all Bedroom and Bathroom/ WC door openings.
- 3) Any unused or unoccupied open spaces in front of or nearby/ adjacent to the flat units are not available for purchase and the HDB will not entertain any request from the flat owners to purchase and/ or enclose the unused or unoccupied open spaces.
- 4) The details of services in a flat, e.g. gas pipes, water pipes, sanitary stacks, electrical wiring, television points, data points, etc. are not indicated on the plans.

You are advised to visit HDB's website at www.hdb.gov.sg for information on renovation rules.

DISCLAIMER

- 1) HDB owns the copyright in all information, maps, and plans of this brochure.
- 2) The content provided in this brochure is not intended to form part of any offer or contract for the sale of flats. They are provided for your general information only and are not statements or representations of fact.
- 3) Visual representations such as pictures, art renderings, depictions, illustrations, photographs, drawings, as well as other graphic representations and references are only artistic impressions. They are provided for your general information only, and are not representations of fact.
- 4) The information on this project, including but not limited to the dimensions, areas, plans, colour schemes, descriptions, and specifications, are subject to change or review without notice at our sole discretion or if required by the relevant authorities.
- 5) We may at any time, without any notice and at our sole discretion, change any aspect of this project, including but not limited to the omission, amalgamation, increase, or reduction of amenities and facilities, colour schemes, design features, and specifications.
- 6) We will not entertain any request for alteration of the layout or specifications of a flat to suit individual needs.
- 7) While reasonable care has been taken in providing the information in this brochure, we do not warrant its accuracy. We shall not be responsible in any way for any damage or loss suffered by any person whether directly or indirectly as a result of reliance on the said information or as a result of any error or omission therein.
- 8) The floor areas shown are scaled strata areas and are subject to final survey.
- 9) The surrounding land use, proposed facilities and their locations as shown in the maps and plans are indicative only and subject to change. They may include ancillary uses allowed under the Urban Redevelopment Authority's prevailing Development Control guidelines. Housing projects may be located near roads, railways, airbases, and land used for non-residential purposes and hence, residents may experience higher noise levels.
- 10) We reserve the right to use or allow the use of any:
 - Void deck of any apartment block
 - Car park;
 - Common property (such as precinct pavilion); or
 - Standalone community building,
 for:
 - Future amenities/ facilities (such as child care centres, elderly-related facilities, education centres, residents' network centres, and day activity centres);
 - Commercial facilities (such as shops and eating houses);
 - Mechanical and electrical rooms; and
 - Such other facilities as we deem fit.
- 11) This brochure does not and is not intended to provide full and complete information of the guidelines or requirements of the relevant authorities. You are advised to approach the relevant authorities directly for full information and details of these guidelines and requirements.

OPTIONAL COMPONENT SCHEME (2-ROOM FLEXI FLATS)

The Optional Component Scheme (OCS) provides convenience for flat buyers, and is offered on an opt-in basis. Choose the OCS items you want before your flat selection appointment.

The cost of the OCS items will be added to the selling price of the selected flat.

All 2-room Flexi flats come with:

- Floor finishes in the bathroom, household shelter, and kitchen
- Wall tiles in bathroom and kitchen
- Sliding partition/ door for bedroom, folding bathroom door
- Water closet suite in the bathroom



Grab bars will be installed for all short-lease flats to assist elderly buyers in moving around the flats

FOR ALL 2-ROOM FLEXI FLATS

PACKAGE 1

- Flooring in the living/ dining room and bedroom
- Sliding partition, separating the living room and bedroom

(please refer to the flooring and furnished floor plans of your selected project)



PACKAGE 2

- Sanitary fittings, i.e. wash basin with tap mixer and shower set with bath/ shower mixer



Disclaimer: All displays and images shown here are strictly for reference only and are subject to change without notice. The displays and images shown here are conceptual and indicative only and the colour schemes, design, dimensions, type, tonal differences and specifications may differ from the actual fittings installed in the flat.



OPTIONAL COMPONENT SCHEME

(2-ROOM FLEXI FLATS)

FOR SHORT-LEASE 2-ROOM FLEXI FLATS ONLY

PACKAGE 3

offers elderly buyers the convenience of having a flat in move-in condition. It comprises:

ELDERLY-FRIENDLY FITTINGS



- Built-in kitchen cabinets with induction hob and cooker hood, kitchen sink, tap and dish drying rack.




Here are some features of an induction hob:

- It does not produce an open flame
- Its cooking zone cools down faster
- It is easier to clean than a gas hob
- As it has a flat surface, pots placed on an induction hob are less likely to topple over.



- Kitchen cabinets come with mobile cabinets to provide knee space (especially for wheelchair users)
- Built-in bedroom wardrobe with a lower clothes hanging rod for easy reach

- An option to have a lower counter top height



Note: This drawing is not drawn to scale. All dimensions are approximate only.

- Folding door at the flexible space in the 2-room Flexi (Type 2) flats



OTHER FITTINGS



- Window grilles for safety and security



- Mirror



- Toilet roll holder



- Lighting



- Water heater

Buyers who opt for Package 3 must select Package 1.

Disclaimer: All displays and images shown here are strictly for reference only and are subject to change without notice. The displays and images shown here are conceptual and indicative only and the colour schemes, design, dimensions, type, tonal differences and specifications may differ from the actual fittings installed in the flat.



OPTIONAL COMPONENT SCHEME

(3-ROOM AND BIGGER FLATS)

The Optional Component Scheme (OCS) provides convenience for flat buyers, and is offered on an opt-in basis. Choose the OCS items you want before your flat selection appointment. The cost of the OCS item will be added to the selling price of the selected flat.

These flats come with:

- floor finishes in the bathrooms, household shelter, kitchen, and service yard
- wall tiles in the bathrooms and kitchen
- water closet suite in each bathroom

YOU CAN CHOOSE TO HAVE THE FOLLOWING ITEMS INSTALLED IN YOUR SELECTED FLAT:

- Floor finishes for living/ dining room and bedrooms
- Internal doors + sanitary fittings
 - wash basin with tap mixer
 - shower set with bath/ shower mixer



Wash basin with tap mixer in attached bathroom



Wash basin with tap mixer



Handheld shower set with bath/ shower mixer

Disclaimer: All displays and images shown here are strictly for reference only and are subject to change without notice. The displays and images shown here are conceptual and indicative only and the colour schemes, design, dimensions, type, tonal differences and specifications may differ from the actual fittings installed in the flat.